

UNITED STATES DRUG USE: YOUNG ADULTS AGES 19-28

Monitoring the Future Survey

| | 2005 | 2004 | 2003 | 2002 | 2001 | 2000 | 1999 | 1998 | 1997 | 1996 | 1995 | 1994 |
|--------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| DAILY USE IN PAST 30 DAYS (%) | | | | | | | | | | | | |
| Alcohol | 5.2 | 4.5 | 5.1 | 4.7 | 4.4 | 4.1 | 4.8 | 4.0 | 4.6 | 4.0 | 3.9 | 3.9 |
| Cigarettes | 19.6 | 20.8 | 20.3 | 21.2 | 21.2 | 21.8 | 21.5 | 21.9 | 20.6 | 21.8 | 21.2 | 20.7 |
| Marijuana/Hashish | 4.9 | 5.0 | 5.3 | 4.5 | 5.0 | 4.2 | 4.4 | 3.7 | 3.8 | 3.3 | 3.3 | 2.8 |
| PAST 30-DAY USE (%) | | | | | | | | | | | | |
| Alcohol | 68.6 | 68.4 | 67.0 | 68.3 | 67.0 | 66.8 | 68.2 | 66.9 | 67.5 | 66.7 | 68.1 | 67.7 |
| Binge Alcohol Use * | 37.0 | 37.1 | 35.8 | 35.9 | 35.9 | 24.7 | 35.8 | 34.1 | 34.4 | 33.6 | 32.6 | 33.7 |
| Cigarettes | 28.6 | 29.2 | 28.4 | 29.2 | 30.2 | 30.1 | 30.3 | 30.9 | 29.9 | 30.1 | 29.2 | 28.0 |
| Any Illicit Drug | 18.6 | 19.1 | 19.9 | 18.9 | 18.8 | 18.1 | 17.1 | 16.1 | 16.4 | 15.8 | 15.8 | 15.3 |
| Marijuana/Hashish | 15.8 | 16.5 | 17.3 | 16.9 | 16.7 | 16.1 | 15.6 | 14.9 | 15.0 | 15.1 | 14.0 | 14.1 |
| Inhalants | 0.2 | 0.3 | 0.3 | 0.5 | 0.4 | 0.5 | 0.8 | 0.7 | 0.5 | 0.5 | 0.7 | 0.5 |
| Hallucinogens | 0.8 | 0.9 | 1.2 | 0.9 | 1.2 | 1.2 | 1.3 | 1.4 | 1.5 | 1.2 | 1.7 | 1.4 |
| LSD | 0.1 | 0.1 | 0.2 | 0.3 | 0.7 | 0.8 | 0.8 | 1.0 | 0.9 | 0.7 | 1.3 | 1.1 |
| PCP | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.2 | 0.2 | 0.1 | 0.1 | 0.0 | 0.1 |
| Cocaine (all forms) | 2.2 | 2.2 | 2.4 | 2.2 | 2.2 | 1.7 | 1.9 | 1.7 | 1.6 | 1.2 | 1.5 | 1.3 |
| Crack Cocaine | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 |
| Heroin | 0.1 | 0.1 | 0.1 | ** | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Other Narcotics | 3.5 | 3.0 | 2.9 | 2.9 | 1.7 | 1.4 | 1.2 | 0.9 | 0.9 | 0.7 | 0.9 | 0.6 |
| Amphetamines | 2.1 | 2.4 | 2.5 | 2.5 | 2.4 | 2.3 | 1.9 | 1.7 | 1.7 | 1.5 | 1.7 | 1.7 |
| Methamphetamine | 0.7 | 0.6 | 0.7 | 1.0 | 1.0 | 0.7 | 0.8 | | | | | |
| Crystal Methamphetamine (Ice) | 0.6 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 |
| Barbiturates | 1.7 | 1.8 | 1.5 | 1.5 | 1.7 | 1.3 | 1.1 | 0.9 | 0.9 | 0.8 | 0.8 | 0.6 |
| Tranquilizers | 2.6 | 2.7 | 2.4 | 2.8 | 2.1 | 1.8 | 1.3 | 1.2 | 1.1 | 0.7 | 1.1 | 0.8 |
| Steroids | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 |
| MDMA (Ecstasy) | | 0.6 | 0.8 | 1.3 | 1.8 | 1.9 | 1.3 | 0.8 | 0.6 | 0.3 | 0.4 | 0.2 |
| LIFETIME USE (%) | | | | | | | | | | | | |
| Alcohol | 89.1 | 89.4 | 89.3 | 90.2 | 89.9 | 90.7 | 90.2 | 90.6 | 90.7 | 91.2 | 91.6 | 91.2 |
| Any Illicit Drug | 60.4 | 60.5 | 60.2 | 59.0 | 58.1 | 58.2 | 57.4 | 57.0 | 56.7 | 56.4 | 57.4 | 57.5 |
| Marijuana/Hashish | 57.0 | 57.4 | 57.2 | 56.8 | 55.7 | 55.1 | 54.6 | 54.4 | 53.8 | 53.4 | 53.6 | 53.7 |
| Inhalants | 10.3 | 11.6 | 12.2 | 12.4 | 12.8 | 14.3 | 14.2 | 14.2 | 14.1 | 14.1 | 14.5 | 13.2 |
| Hallucinogens | 17.6 | 19.3 | 19.7 | 19.6 | 18.3 | 18.4 | 18.0 | 17.4 | 16.8 | 16.4 | 16.1 | 15.4 |
| LSD | 11.2 | 13.4 | 14.6 | 15.1 | 16.0 | 16.4 | 16.2 | 15.7 | 15.0 | 15.0 | 14.5 | 13.8 |
| PCP | 2.0 | 2.7 | 3.0 | 2.5 | 3.1 | 2.3 | 2.3 | 2.7 | 2.4 | 1.9 | 2.2 | 2.0 |
| Cocaine (all forms) | 14.3 | 15.2 | 14.7 | 13.5 | 13.1 | 12.7 | 12.8 | 12.3 | 12.1 | 12.9 | 13.7 | 15.2 |
| Crack Cocaine | 4.1 | 4.2 | 4.7 | 4.3 | 4.7 | 4.6 | 4.3 | 3.8 | 3.6 | 3.9 | 3.8 | 4.4 |
| Heroin | 1.7 | 1.9 | 1.9 | 1.8 | 2.0 | 1.8 | 1.7 | 1.6 | 1.3 | 1.3 | 1.1 | 0.8 |
| Other Narcotics | 17.8 | 17.6 | 16.8 | 13.9 | 11.5 | 10.0 | 9.5 | 9.1 | 9.2 | 8.3 | 9.0 | 8.2 |
| Amphetamines | 14.6 | 15.9 | 15.2 | 14.8 | 15.0 | 15.0 | 14.1 | 14.3 | 14.6 | 15.3 | 16.6 | 17.1 |
| Methamphetamine | 8.3 | 9.0 | 8.9 | 9.1 | 9.0 | 9.3 | 8.8 | | | | | |
| Crystal Methamphetamine (Ice) | 4.4 | 4.7 | 4.7 | 4.1 | 4.0 | 3.9 | 3.3 | 3.4 | 2.5 | 3.1 | 2.1 | 2.5 |
| Barbiturates | 10.0 | 9.7 | 8.7 | 8.0 | 7.8 | 8.1 | 7.4 | 6.9 | 6.5 | 6.6 | 6.7 | 6.4 |
| Tranquilizers | 14.5 | 14.9 | 13.8 | 13.4 | 11.9 | 10.5 | 9.6 | 9.6 | 8.6 | 9.3 | 9.7 | 9.9 |
| Steroids | 1.8 | 1.9 | 1.8 | 1.6 | 1.4 | 1.4 | 1.9 | 1.4 | 1.4 | 1.5 | 1.5 | 1.3 |
| MDMA (Ecstasy) | 14.9 | 16.0 | 15.3 | 14.6 | 13.0 | 11.6 | 7.1 | 7.2 | 5.1 | 5.2 | 4.5 | 3.8 |

* "Binge" alcohol use in the Monitoring the Future Survey is defined as drinking 5 or more drinks on the same occasion on at least one day in the past two weeks.

** Indicates value is less than 0.05 percent but greater than 0.0 percent.