

**NATIONAL SURVEY ON DRUG USE AND HEALTH TABLES (continued)**

**Estimated Past-Month Substance Use (%): U.S. Age Groups, 2003-2006**

	YEAR:	AGE 12-17				AGE 18-25				AGE 26 AND OLDER			
		2006	2005	2004	2003	2006	2005	2004	2003	2006	2005	2004	2003
Alcohol		16.6	16.5	17.6	17.7	61.9	60.9	60.5	61.4	53.7	55.1	53.0	52.5
Binge Alcohol Use *		10.3	9.9	11.1	10.6	42.2	41.9	41.2	41.6	21.4	21.0	21.1	21.0
Heavy Alcohol Use **		2.4	2.4	2.7	2.6	15.6	15.3	15.1	15.1	6.0	5.6	6.1	5.9
Any Tobacco		12.9	13.1	14.4	14.4	43.9	44.3	44.6	44.8	29.4	29.0	28.5	29.3
Cigarettes		10.4	10.8	11.9	12.2	38.4	39.0	39.5	40.2	24.7	24.3	24.1	24.7
Smokeless Tobacco		2.4	2.1	2.3	2.0	5.2	5.1	4.9	4.7	3.2	3.0	2.7	3.2
Any Illicit Drug		9.8	9.9	10.6	11.2	19.8	20.1	19.4	20.3	6.1	5.8	5.5	5.6
Marijuana/Hashish		6.7	6.8	7.6	7.9	16.3	16.6	16.1	17.0	4.2	4.1	4.1	4.0
Inhalant		1.3	1.2	1.2	1.3	0.4	0.5	0.4	0.4	0.2	0.1	0.1	0.1
Hallucinogen		0.7	0.8	0.8	1.0	1.7	1.5	1.5	1.7	0.1	0.2	0.1	0.1
LSD		0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.0	0.0	0.0	0.0
PCP		0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	--
Ecstasy		0.3	0.3	0.3	0.4	1.0	0.8	0.7	0.7	0.1	0.1	0.1	0.1
Cocaine (any form)		0.4	0.6	0.5	0.6	2.2	2.6	2.1	2.2	0.8	0.8	0.7	0.8
Crack Cocaine		0.0	0.1	0.1	0.1	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.3
Heroin		0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.1	0.0
Pain Reliever (non-medical use)		2.7	2.7	3.0	3.2	4.9	4.7	4.7	4.7	1.5	1.3	1.2	1.3
Stimulant (non-medical use)		0.6	0.7	0.7	0.9	1.3	1.3	1.4	1.3	0.3	0.2	0.3	0.3
Methamphetamine			0.3	0.2	0.3		0.6	0.6	0.6		0.1	0.2	0.2
Sedative (non-medical use)		0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
Tranquilizer (non-medical use)		0.5	0.6	0.6	0.9	2.0	1.9	1.8	1.7	0.5	0.6	0.5	0.6

**Estimated Lifetime Substance Use (%): U.S. Age Groups, 2003-2006**

	YEAR:	AGE 12-17				AGE 18-25				AGE 26 AND OLDER			
		2006	2005	2004	2003	2006	2005	2004	2003	2006	2005	2004	2003
Alcohol		40.4	40.6	42.0	42.9	86.5	85.7	86.2	87.1	87.8	88.2	87.3	88.0
Any Tobacco		29.7	30.7	32.7	34.5	71.8	72.3	73.5	74.8	76.0	76.0	76.4	77.6
Cigarettes		25.8	26.7	29.2	31.0	66.6	67.3	68.7	70.2	71.7	71.9	72.3	73.6
Smokeless Tobacco		7.1	7.1	7.1	7.6	20.2	20.8	21.4	22.0	19.9	19.5	19.6	20.6
Any Illicit Drug		27.6	27.7	30.0	30.5	59.0	59.2	59.2	60.5	45.5	46.3	45.6	46.1
Marijuana/Hashish		17.3	17.4	19.0	19.6	52.4	52.4	52.8	53.9	40.6	41.1	41.0	41.2
Inhalant		10.1	10.5	11.0	10.7	12.5	13.3	14.0	14.9	8.6	8.5	8.5	8.6
Hallucinogen		3.9	3.9	4.6	5.0	20.2	21.0	21.3	23.3	14.7	14.0	14.4	14.2
LSD		0.9	1.1	1.2	1.6	8.9	10.5	12.1	14.0	10.8	10.1	10.5	10.8
PCP		0.5	0.7	0.7	0.8	1.9	2.2	2.3	3.0	3.1	3.1	3.2	3.3
Ecstasy		1.9	1.6	2.1	2.4	13.4	13.7	13.8	14.8	3.9	3.6	3.4	3.1
Cocaine (any form)		2.2	2.3	2.4	2.6	15.7	15.1	15.2	15.0	15.8	15.2	15.6	16.3
Crack Cocaine		0.5	0.4	0.5	0.6	3.6	3.5	3.5	3.8	3.9	3.6	3.6	3.6
Heroin		0.2	0.2	0.3	0.3	1.6	1.5	1.6	1.6	1.7	1.6	1.4	1.7
Pain Reliever (non-medical use)		10.4	9.9	11.4	11.2	25.5	25.5	24.3	23.7	12.0	11.8	11.5	11.5
Stimulant (non-medical use)		3.5	3.4	3.4	4.0	10.7	11.1	10.6	10.8	8.4	7.9	8.6	9.0
Methamphetamine			1.2	1.2	1.3		5.2	5.2	5.2		4.5	5.3	5.7
Sedative (non-medical use)		0.9	0.9	1.0	1.0	1.9	2.0	1.9	1.8	4.3	4.4	4.9	4.8
Tranquilizer (non-medical use)		2.9	3.0	3.2	3.5	13.1	13.4	12.2	12.3	8.7	8.6	8.3	8.5

\* "Binge" alcohol use in the National Survey on Drug Use and Health: Consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.